Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	52	video same ((replac\$3 substitut\$3) with background with (user person face human operator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:36
S3	3156	(video near5 background) with (image scene anaimat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:38
S4	0	(video near5 background) with anaimat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:38
S5	174	(video near5 background) with animat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:48
S8	157	video same (captur\$3 with time with channel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 12:44
S9	28	video same (control\$3 with captur\$3 with time with channel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:57
S10	1687	(video with ((user\$2 operator\$3) near3 (setting parameter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 15:59
S11	526	(video same ((time with channel ) with (setting parameter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 16:00
S12	220	(video with ((time with channel ) with setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 16:01

S13	28	(video near3 (device equipment apparatus)) with ((time with channel ) with setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 16:02
S14	7	(video near3 (device equipment apparatus)) with ((time near3 channel) near5 setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 16:04
S15	0	(videoconference with ((source setting) near5 (time near3 channel )))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 16:06
S16	2	(videoconference same ((source setting) with (time with channel )))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 16:08
S17	14	(videoconference same ((source setting) with ((date start time) near5 (source channel))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 09:58
S18	143	(video with timer with ((start time) near5 (source channel)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 10:01
S19	0	(video\$1conferenc\$3 with timer with ((start time) near5 (source channel)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 09:59
S20		(video\$1conferenc\$3 same (timer with ((start time) near5 (source channel))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 10:00
S21	1	(video\$1conferenc\$3 same (timer with ((start time) with (source input channel))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 10:01
S22	12	(video\$1conferenc\$3 same ((setting program\$4 timer) with ((start time) with (source input channel))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 10:05

S23	2	("20030037335").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/06 11:25
S24	15	video\$1conferenc\$3 same "interactive TV "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 13:40
S25	70	video\$1conferenc\$3 same "interactive video"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 13:43
S26	2	(Internet interactive) with ((select\$3 choos\$3 pick\$3) near3 hair\$1style)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 16:56
S27	. 5	(on\$1line Internet interactive) with ((select\$3 choos\$3 pick\$3 try\$3) near5 (hair\$1style toupee wig))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 17:01
S28	0	(segment\$5 ((object target character face) near5 (detect\$3 extract\$3 locat\$3 determin\$5 identif\$7 recogni\$6))) same (feature with edge with motion with focal with pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 17:05
S29	12	(segment\$5 ((object target character face) near5 (detect\$3 extract\$3 locat\$3 determin\$5 identif\$7 recogni\$6))) same (feature with edge with motion with pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 17:08
S30	51	(segment\$5 ((object target character face) near5 (detect\$3 extract\$3 locat\$3 determin\$5 identif\$7 recogni\$6))) same ( edge with motion with pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 17:09
S31		(segment\$5 ((object target character face) near5 (detect\$3 extract\$3 locat\$3 determin\$5 identif\$7 recogni\$6))) same ( edge with motion with pattern with focal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 09:57

Page 3

S32	15878	(segment\$5 ((object target character face) near5 (detect\$3 extract\$3 locat\$3 determin\$5 identif\$7 recogni\$6))) same focal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 17:13
S33	2625	(segment\$5 ((object target character face) near5 (detect\$3 extract\$3 locat\$3 determin\$5 identif\$7 recogni\$6))) with "focal length"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 17:16
S34	174	(face near5 (detect\$3 extract\$3 locat\$3 determin\$5 identif\$7 recogni\$6)) with "focal length"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 17:14
S35	126	(face near5 (detect\$3 extract\$3 locat\$3 segment\$5)) with "focal length"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 17:16
S36	10	(face near5 segment\$5) with "focal length"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 17:15
S37	2475	(segment\$5 ((object target character) near5 (detect\$3 extract\$3 locat\$3 determin\$5 identif\$7 recogni\$6))) with "focal length"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 17:16
S38	578	(segment\$5) with "focal length"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 17:17
S39	0	(background near3 segment\$5) with "focal length"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 17:18
S40	0	((foreground background) with segment\$5) with "focal length"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 17:17
S41	55	(image near3 segment\$5) with "focal length"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 17:18

			•	•		
S42	2	((object target character face) near5 (segment\$5 detect\$3 extract\$3)) with (feature with edge with motion with pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 09:59
S43	42829	((object target character face) near5 (segment\$5 detect\$3 extract\$3)) with (feature edge motion pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/07 10:01
S44	11756	(fac\$3 near5 (segment\$5 detect\$3 extract\$3)) with (feature edge motion pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:04
S45	453	S44 same (calibrat\$3 learn\$3 train\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:02
S46	241	S44 with (calibrat\$3 learn\$3 train\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:04
S47	41	S44 with (calibrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON .	2006/11/07 10:02
S48	. 556	(fac\$3 near5 (segment\$5 detect\$3 extract\$3)) with (feature edge) with (motion pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:12
S49	18	S48 with (calibrat\$3 learn\$3 train\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:04
S50	4	(fac\$3 near5 background near5 (segment\$5 detect\$3 extract\$3)) with (feature edge) with (motion pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:10
S51	476	(fac\$3 near3 (segment\$5 detect\$3 extract\$3)) with (feature edge) with (motion pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/11/07 10:14

			•			
S52	8	(fac\$3 near3 (segment\$5 detect\$3 extract\$3)) with background with (feature edge) with (motion pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:13
S53	215	(fac\$3 near3 (segment\$5 extract\$3)) with (feature edge) with (motion pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:14
S54	48	(fac\$3 near3 (segment\$5)) with (feature edge) with (motion pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:16
S55	3487	((segment\$5)) with (feature edge) with (motion pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:17
S56	424	((segmentation)) with (feature edge) with (motion pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:17
S57	21	((segmentation)) with (feature edge) with motion with pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:17
S58	2	("6453052").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 12:32
S59	6	Salon with (on\$1line internet web) with (schedul\$3 appoint\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	ON	2006/11/07 12:37
S60	2	("6384850").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 12:37
S61	293	(web adj1 site) with (select\$3 near5 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:16

S62	7	(web adj1 site) with (select\$3 near5 image) with (ID log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:49
S63	0	S61 same salon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:16
S64	2	(web adj1 site) with ((hair beauty) adj1 salon)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/07 15:16
S65	2840	(web adj1 site) with (password logfing log\$1in)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/07 15:50
S66	0	S65 same salon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:50
S67	51	(web adj1 site) with ((private) near3 (part page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:54
S68	376	(web adj1 site) with ((private personal) near3 (access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:54
S69	109	(web adj1 site) with ((private) near3 (access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:07
S70	22	(web adj1 site) with ((private adj1 account))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:12
S71	24	((on\$1line web Internet) near5 photo) with (password logging log\$1in)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:14

	T					
S72	2	((on\$1line web Internet) near5 (hair wig toupee)) with (password logging log\$1in)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:15
S73	1	((on\$1line web Internet) near5 salon) with (password logging log\$1in)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:15
S74	23	(conver\$4 transform\$5) same (gRGB g-RGB ((normalized generalized) adj1 R\$1G))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 09:45
S75	29	image with sort\$3 with (select\$3 choos\$3 pick\$3 indicat\$3) with (desired prefer\$5 favorite)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 09:47
S76	40	(schedul\$3 appointment) with queu\$3 with ((expected proposed planned) near3 (time date))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:09
S77	1	S76 same (internet web remote)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 11:41
S78	24	S76 and (internet web interactive remote)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:10
S79	9	(reserv\$5) with queu\$3 with ((expected proposed planned) near3 (time date))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:09
S80	6	S79 and (internet web interactive remote)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:31
S81	267	(communicat\$3 e\$1mail\$3 notif\$7) with (ETA (expected near3 (day time) near3 arrival))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:33

S82	63	S81 same (appoint\$4 reserv\$5 schedul\$3 deliver\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:34
S83	40	S82 and (web Internet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 12:34
S84		((appointment reservation) near5 (request e\$1mail submi\$5)) with (queu\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 09:18
S85	5	(Internet web on\$1line) same ((appointment reservation) near5 (request e\$1mail submi\$5)) with (queu\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 09:25
S86	262	(Internet web on\$1line) same ((appointment reservation) with (notif\$7 inform\$5) with ((walk\$1in arriv\$3) nea5 (date)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 10:23
S87	2	(Internet web) with ((notif\$7) with ((walk\$1in arriv\$3) near3 (date)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 09:32
S88	36	(Internet web) with ((notif\$7 inform\$3) with ((walk\$1in arriv\$3) near3 (date time)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 09:42
S89	2	("20050234914").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 09:42
S90	103	(Internet web on\$1line) same ((notif\$7 inform\$3) with ((walk\$1in arriv\$3) near5 (time date)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 11:26
S91	2	("20040205005").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 10:59

S92	49	(Internet web on\$1line) same ((queu\$3 with (reservation appointment)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 11:27
S93	8700	382/118,173,181,190;345/629, 635;709/204;725/135,136.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 12:45